



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

**For any other
communication**

Address:

Kolkata Branch
Office-I-1/14 CIT
Scheme VII M,
V.I.P. Road,
Kankurgachi,
Kolkata,
KOLKATA, WEST
BENGAL, 700054

Phone:

033-23378662,
23378626

Fax:

03323377459

E-Mail:

mdk3@bis.org.in

Web:

www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 5208857

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
5208857	INDUSTRIES SYNDICATE -163, MAHAMAYATALA, P.O. GARIA, , , : 0	Explosive Atmospheres - Part 1 : Equipment Protection by Flameproof Enclosures "d"	IS/IEC 60079 : PART 1 : 2014

Endorsement No. 25 Dated 26-Dec-2023

Whereas, the licence was valid upto First January Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-DEC-2023 has been extended from First January Two Thousand Twenty Four to Thirty First December Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Kolkata Branch Office-I)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in